

## - LOCAL PUBLIC HEALTH

LOCAL PUBLIC HEALTH FUNDING  
(funding data not available)

## NATALITY

TOTAL LIVE BIRTHS			236	Birth Order		Births	Percent	Marital Status				
Crude Live Birth Rate			11.4	First		94	40	of Mother		Births	Percent	
General Fertility Rate			59.1	Second		90	38	Married		150	64	
				Third		39	17	Not married		86	36	
Live births with reported congenital anomalies			4	Fourth or higher		13	6	Unknown		0	0	
			. %	Unknown		0	0					
Delivery Type			Births	Percent	First Prenatal Visit		Births	Percent	Education of Mother		Births	Percent
Vaginal after					1st trimester		183	78	Elementary or less		3	1
previous cesarean			3	1	2nd trimester		44	19	Some high school		46	19
Forceps			4	2	3rd trimester		8	3	High school		99	42
Other vaginal			189	80	No visits		1	<.5	Some college		50	21
Primary cesarean			19	8	Unknown		0	0	College graduate		38	16
Repeat cesarean			21	9					Unknown		0	0
Other or unknown			0	0								
Birth Weight			Births	Percent	Number of Prenatal Care visits		Births	Percent	Smoking Status of Mother		Births	Percent
<1,500 gm			3	1.3	No visits		1	<.5	Smoker		73	31
1,500-2,499 gm			13	5.5	1-4 visits		5	2	Nonsmoker		163	69
2,500+ gm			220	93.2	5-9 visits		43	18	Unknown		0	0
Unknown			0	0.0	10-12 visits		135	57				
					13+ visits		52	22				
					Unknown		0	0				

\* - Not reported. Age or race category has less than 5 births

## ----- MORBIDITY -----

## REPORTED\* CASES OF SELECTED DISEASES

Disease	Number
Campylobacter Enteritis	15
Giardiasis	<5
Hepatitis Type A	0
Hepatitis Type B**	0
Hepatitis NANB/C***	0
Legionnaire's	0
Lyme	0
Measles	0
Meningitis, Aseptic	0
Meningitis, Bacterial	<5
Mumps	0
Pertussis	0
Salmonellosis	6
Shigellosis	<5
Tuberculosis	0

\* 1999 provisional data

\*\* Includes all positive HBsAg test results

\*\*\* Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	8
Genital Herpes	<5
Gonorrhea	<5
Nongonococcal Cervicitis	.
Nongonococcal Urethritis	0
Syphilis	0

## ----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

Compliant	4,195
Non-compliant	19
Percent Compliant	99.5

## ----- MORTALITY -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

<b>TOTAL DEATHS</b>	227
Crude Death Rate	1,100

Age	Deaths	Rate
1-4	1	.
5-14	.	.
15-19	3	.
20-34	3	.
35-54	14	.
55-64	22	1,014
65-74	34	1,810
75-84	64	4,578
85+	85	16,280

Infant

Mortality	Deaths	Rate
Total Infant	1	.
Neonatal	.	.
Postneonatal	1	.
Unknown	.	.

Race of Mother

White	1	.
Black	.	.
Other	.	.
Unknown	.	.

Birth Weight

<1,500 gm	.	.
1,500-2,499 gm	.	.
2,500+ gm	1	.
Unknown	.	.

Perinatal

Mortality	Deaths	Rate
Total Perinatal	.	.
Neonatal	.	.
Fetal	.	.

Selected Underlying Cause	Deaths	Rate
Heart Disease (total)	87	421
Ischemic heart disease	.	.
Cancer (total)	51	247
Trachea/Bronchus/Lung	.	.
Colorectal	8	.
Female Breast	3	.*
Cerebrovascular Disease	21	102
Lower Resp. Disease	.	.
Pneumonia & Influenza	7	.
Injuries	14	.
Motor vehicle	9	.
Diabetes	12	.
Infectious & Parasitic	.	.
Suicide	2	.

\* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	2	.
Other Drugs	1	.
Both Mentioned	.	.

## ----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	Persons Killed
Total Crashes	220	10
Alcohol-Related	39	2
With Citation:		
For OWI	23	0
For Speeding	20	0
Motorcyclist	5	0
Bicyclist	4	0
Pedestrian	5	0

## ----- HOSPITALIZATIONS -----

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
------------------------	--------	---------------------	---------------------------	-------------------	-------------------------

**Injury-Related: All**

Total	190	9.2	3.8	\$8,819	\$81
<18	15	.	.	.	.
18-44	40	5.6	2.8	\$6,990	\$39
45-64	28	5.7	3.4	\$9,425	\$54
65+	107	28.2	4.4	\$9,164	\$258

**Injury: Hip Fracture**

Total	38	1.8	4.3	\$11,195	\$21
65+	33	8.7	4.6	\$11,368	\$99

**Injury: Poisonings**

Total	11	.	.	.	.
18-44	5	.	.	.	.

**Psychiatric**

Total	93	4.5	9.3	\$6,125	\$28
<18	27	5.6	14.7	\$9,160	\$52
18-44	36	5.0	6.1	\$3,697	\$19
45-64	16	.	.	.	.
65+	14	.	.	.	.

**Coronary Heart Disease**

Total	218	10.6	3.2	\$14,229	\$150
45-64	62	12.6	2.4	\$15,018	\$190
65+	151	39.7	3.6	\$14,176	\$563

**Malignant Neoplasms (Cancers): All**

Total	110	5.3	6.2	\$11,620	\$62
18-44	4	.	.	.	.
45-64	27	5.5	6.1	\$14,049	\$77
65+	79	20.8	6.2	\$11,069	\$230

**Neoplasms: Female Breast (rates for female population)**

Total	8	.	.	.	.
-------	---	---	---	---	---

**Neoplasms: Colo-rectal**

Total	20	1.0	6.8	\$11,957	\$12
65+	15	.	.	.	.

**Neoplasms: Lung**

Total	10	.	.	.	.
-------	----	---	---	---	---

**Diabetes**

Total	32	1.6	4.7	\$6,819	\$11
65+	13	.	.	.	.

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
------------------------	--------	---------------------	---------------------------	-------------------	-------------------------

**Alcohol-Related**

Total	41	2.0	5.5	\$4,476	\$9
18-44	23	3.2	5.2	\$3,086	\$10
45-64	13	.	.	.	.

**Pneumonia and Influenza**

Total	116	5.6	4.5	\$5,575	\$31
<18	20	4.2	2.4	\$2,533	\$11
45-64	19	.	.	.	.
65+	65	17.1	5.7	\$6	\$0

**Cerebrovascular Disease**

Total	97	4.7	3.7	\$6,792	\$32
45-64	11	.	.	.	.
65+	85	22.4	3.6	\$6,241	\$140

**Chronic Obstructive Pulmonary Disease**

Total	63	3.1	3.5	\$4,425	\$14
<18	5	.	.	.	.
18-44	3	.	.	.	.
45-64	9	.	.	.	.
65+	46	12.1	3.9	\$5,008	\$61

**Drug-Related**

Total	15	.	.	.	.
18-44	10	.	.	.	.

**Total Hospitalizations**

Total	2,743	132.9	3.9	\$7,174	\$953
<18	434	90.8	3.3	\$3,910	\$355
18-44	571	79.8	3.1	\$4,652	\$371
45-64	446	90.9	3.7	\$8,899	\$809
65+	1,292	340.1	4.4	\$8,790	\$2,989

## ----- PREVENTABLE HOSPITALIZATIONS\* -----

Total	390	18.9	4.0	\$4,864	\$92
<18	46	9.6	2.1	\$1,953	\$19
18-44	39	5.5	2.9	\$3,345	\$18
45-64	61	12.4	3.3	\$5,083	\$63
65+	244	64.2	4.7	\$5,601	\$360

\* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 1999 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.